

MATHIS, RIGGS & PRATHER, P.S.C.
ATTORNEYS AT LAW
500 MAIN STREET, SUITE 5
SHELBYVILLE, KENTUCKY 40065

C. LEWIS MATHIS, JR.
T. SHERMAN RIGGS
DONALD. T. PRATHER
NATHAN T. RIGGS

TELEPHONE: (502) 633-5220
FAX: (502) 633-0667

E-MAIL: mrp@iglou.com

March 13, 2006

Beth O'Donnell, Executive Director
Public Service Commission
211 Sower Blvd
P.O. Box 615
Frankfort, KY 40602

RECEIVED
MAR 15 2006
PUBLIC SERVICE
COMMISSION

Re: Annette D. Calvert v. U.S. 60 Water District
Case No. 2005-00356

Dear Ms. O'Donnell:

Enclosed please find one original and ten (10) copies, plus an extra first page only, of the U.S. 60 Water District of Shelby and Franklin Counties, Kentucky List of Witnesses in regard to the captioned action. Please file the original and ten copies with the Commission and return to me the file-stamped first page copy. For your convenience I have enclosed a self-addressed stamped envelope.

Yours truly,

MATHIS, RIGGS & PRATHER, P.S.C.

BY 
Donald T. Prather

DTP/pm
Enclosures
Cc: Darrell Dees, Manager
Sandy Broughman, Engineer
William Eggen, Chairman
Don/sec/stewart/PSC filing

35 feet from the property line at the right-of-way and a minimum rear building line setback of 40 feet. The requested easement will lie within the restricted setback zone.

2. **Darrell Dees or Gary Brown:** These are the Manager and Assistant Manager, respectively, of the District. One or the other, or both, of them would be available to testify regarding the location of the District's current water main on Bridgeport Road and the location of the Calvert water meter(s). They will also testify that, at Ms. Calvert's request, they installed a cutoff valve inside her meter jar and replaced a water meter cover as soon as these items were brought to the District's attention.

3. **Donald T. Prather:** Mr. Prather is the attorney for the District and will testify regarding his several telephone and written contacts with Ms. Calvert.

Respectfully Submitted,

MATHIS, RIGGS & PRATHER, P.S.C.

By:  _____

Donald T. Prather
500 Main Street, Suite 5
Shelbyville, Kentucky 40065
Phone (502) 633-5220
Fax (502) 633-0667

CERTIFICATE OF SERVICE

It is hereby certified that a true and accurate copy of the foregoing Answer was this 13 day of March, 2006 mailed to the following:

Annette D. Calvert
575 Old U.S. 60
Frankfort, KY 40601

 _____
Donald T. Prather